INDEX TO VOLUME 24

The asterisk (*) preceding the page number indicates an original article. Subject entries are made for all articles. Author entries are made for original articles, correspondence and society transactions. Biographies, Book Reviews, Obituaries and Society Transactions are indexed under these headings in their alphabetical order under the letters B, O and S, respectively.

Aars, C. G.: Cholesterol content of blood serum in yaws, *418
Keratoma plantare sulcatum (Castellani), *271
Abramowitz, E. W.: Actinomycosis, 679
Elephantiasis nostras, 671
Lichen sclerosis, 1125
Acanthosis nigricans, 157
Acetarsone, severe angioneurotic seizure due to, 876
Acetylarsan, sensitization dermatitis occurring in patient with lichen planus after second dose of, 873
Acid, Carbolic: See Phenol
Acidosis and seborrhea, 457
Acne varioliformis, 303
vulgaris, metabolism, endocrine glands and skin-diseases, with special reference to acne vulgaris and xanthoma, 1086
Acrocyanosis: See Cyanosis
Acrodermatitis atrophicans, 884
atrophicans chronica, 1129, 1131
perstans, 163, 341
staphylococcic, and Raynaud's disease, 871
unilateral acrodermatitis chronica atrophicans with subcutaneous nodules, 1112
Acrodynia, etiology, 647
in infants, 876
Acromegaly with diabetes mellitus and xanthoma diabeticorum, 117
Actinomycosis, 344, 490, 679, 1140
starting as appendicitis with extensive visceral involvement, 2 cases, 868
Actinotherapy in tuberculosis, 656
Adenocarcinoma, renal, with unusual manifestations, 1084
Adenoma sebaceum, 160
Adhesive plaster, dermatitis venenata due to, 342
Adiposogenital syndrome with congenital syphilis, 651
Alderson, H. E.: Compensable disability in occupational dermatoses, *401
Lichen scrofulosorum, 661
Tuberculosis from direct inoculation with autopsy knife; report of case, *98
Alexander, H. L.: Allergic skin reaction, *543
Allergy and Anaphylaxis; allergic skin reaction, *543
congenital protein hypersensitiveness in 2 generations, 456
hypersensitiveness to soluble specific substances from yeast-like fungi; anaphylaxis; eye hypersensitivity, 871
"physical allergy"; report of case with successful treatment, 297
production of hypersensitivity to paraphenylendiamine in guinea-pig, 652
professional anaphylactic eczema from dyed fur; hemoclastic crisis, 650
seasonal variations in incidence of diseases and influence of diet on experimental sensitizations, 652
sensitizations; regional, seasonal, dietary and other influences accounting for variations and fluctuations, *537
Alopecia areata, 705
areata in twins, 1122
areata, skin temperature in, 121
arsenical dermatitis followed by keratosis and alopecia, 676
due to thallium poisoning, 314, 918
indirect application of roentgen rays in, 650
primary, of head-band configuration, 301
uveitis associated with alopecia, poliosis, vitiligo and deafness, 1084
Amblyopia: See Blindness
Amebiasis cutis (Endameba histolytica); report of 2 cases, *1
American Medical Association, Section on Dermatology and Syphilology, 932
Amputation stump, cutaneous horn on amputation stump, 121
Amshell, F.: Acanthosis nigricans, 157
Keratosis palmaris hereditaria, 336
Anaphylaxis: See Allergy and Anaphylaxis
Anderson, N. P.: Fumigation in control of superficial fungus infections, *283
Andrews, G. C.: Actinomycosis, 490
Blastomycosis, 318, 488
Dermatitis artefacta, 497
Espundia and cutaneous myiasis, 895
Recklinghausen's disease, 685
Anemia, pruritus vulvae as result of pernicious anemia, 134
syphilitic, 898
Angina agranulocytica and its treatment, 645
agranulocytica, roentgenotherapy of, 645
Angiokeratoma and lichen planus, 467
(Mibelli) associated with nodular and papulonecrotic tuberculids, 871
study of literature and report of case, *39
Angioma, 709
Anonychia: See under Nails
Anthrax, treatment with large doses of specific serum, 136
Anticutin, experiments with so-called anticutin and procutin in serum of patients with sarcoid, 879
Antimony compound, new, in leprosy, *1053
Anus, anorectal stricture with positive Frei's reaction, 304
syphiloma and esthiomene with positive Frei test, 874
Aplasia moniliformis, 305
Apocrine glands, occurrence of, 129
Appendicitis, actinomycosis starting as appendicitis with extensive visceral involvement, 2 cases, 868
Argyria and dermatitis, 474
Arsenic, bilateral herpes zoster following acute arsenic poisoning, *280
dermatitis, dermatophytosis, 900
dermatitis followed by keratosis and alopecia, 676
exfoliative keratitis due to, 1084
keratoderma, 526
occupational dermatoses due to, 1089
pigmentation, 479
zoster generalisatus (varicellosus), leukemia lymphatica and arsenic, 877
Arsphenamine, animal experiments concerning dependence of effect of arsphenamine on condition of reticulo-endothelial system, 460
dermatitis, 493
dermatitis and vitiligo, 677
dermatitis (neoarsphenamine?), 159, 164
dermatitis (neoarsphenamine), leukomelanoderma following, 1089
dermatitis: spontaneously recurring eruptions caused by, 131
dermatitis treated by splenic extract, 872
dermatitis with marked keratosis of palms and soles, 1103
eruption, fixed, 1135
exfoliative dermatitis from neoarsphenamine; autohemotherapy followed by furunculosis; biologic tests for sensitization to neoarsphenamine, 304
hemorrhagic encephalitis after use of neoarsphenamine, 646
recurrence of syphilis following treatment with neoarsphenamine, 872
resistant syphilis, 869
Arthritis, cutaneous reactions to histamine: reactions in occlusive and spastic vascular disease and in chronic infectious arthritis, 453
deformans, tendency toward formation of keloids in, 127

Aryans, unusual coloration of skin and mucous membrane, in, *247
Ataxia: See Tabes Dorsalis
Atrophy, idiopathic macular atrophy, 144
idiopathic macula atrophy and lupus erythematosus, 897
macular, of skin, *614
macular, with urticaria pigmentosa, 1101
of subcutaneous fat, 908
Autothemotherapy and ultraviolet irradiation in late syphilis, *228
Autopsy knife, tuberculosis from direct inoculation with autopsy knife; report of case, *98
Ayres, S., Jr.: Fumigation as an aid in control of superficial fungus infections, *283

Bacteria, action of light on, 311
Bacteriophage application in dermatological practice, 120
therapy in localized pyogenic infections, 311
therapy for pyodermia; report of 20 cases, *218
treatment, 133
Balneotherapy, taboparesis treated by hyperpyrexia induced by hot baths, 457
Barney, R. E.: A case for diagnosis, 918
Lichen planus atrophicus, 340
Nodular nonulcerative gummas, 168
Pseudo-acromia parasitaria, 339
Syphilitic onychia (?) 340
Syringocystadenoma, 918
Tularemia, 167
Baths: See Balneotherapy
Bazin's Disease: See Psoriasis, buccal
Bechet, P. E.: Dermatitis actinica, 1130
Dermatitis venenata, 922
Granuloma annulare, 316
Hypertrichosis of forearms and lumbar region, 314
Keratoses, 478
Keratosis follicularis, 315
Lichen pilaris spinulosus, 317
Morphea with atypical features, 313
Onychomycosis, 709
Pemphigus, 318
Psoriasis, 479
Syphilis, 478
Becker, S. W.: Fungus infection, 698
Schamberg's disease associated with hemochromatosis, *380
Tryparsamide therapy, 929
Beeson, B. B.: Lucien Jacquet, *865
Benedek, T.: Schizosaccharomycosis; present status of identification of Schizosaccharomyces hominis and its results, *557
Berkowitz, B. B.: Multiple benign cystic epithelioma, 911
Porokeratosis, 1124
Besancon, J. H.: Nevus pigmentosus, 161
Best, W. H.: Case for diagnosis, 463
Dermatitis herpetiformis, 465
Eczema and lymphangitis, 1126
Lichen planus linearis, 913
Lupus vulgaris and epithelioma, 1125
Small papular syphiloderm, 471

BIOGRAPHY:
Lucien Jacquet, 865

Bismuth as a prophylactic agent, 876
compounds, curative values of, 297
in lupus erythematodes, 132
presence of uneven quantities of bismuth in oily bulk suspension of bismuth salts, *739
serologically negative primary syphilis treated exclusively by bismuth, 2 cases, 303
stomatitis, 914
transitory amblyopia following intramuscular injection of an oil-soluble salt of bismuth, 650
Bitumen, local treatment of furunculosis with pure sulphonated bitumen N. F., 878
Blastomycosis, 318, 338, 488
Blindness, transitory amblyopia following intramuscular injection of an oil-soluble salt of bismuth, 650
Blood, carotenemia, 901
carotine in, pathology of yellowing dermatoses, *954
Blood—Continued
carotinemia resulting from restricted diet as observed in dermatologic practice, 868
changes in sugar and lactic acid content of blood caused by burns, 453
cholesterol content of blood serum in yaws, *418
effect of thyroid administration on blood volume in thrombo-angiitis obliterans, 869
Gougerot and Ragu's report on relation of cholesterol of blood to Wassermann-fastness, 123
in psoriasis, with reference to calcium, phosphorus and potassium, *204
influence of amount of blood cholesterol on serologic reactions for syphilis (Wassermann, Hecht, Desmoulieres), 123
phosphorus, total calcium and diffusible calcium content of blood sera of lepers and their relation to bone changes, 456
pigmentation, *954
relationship of serology of blood to that of spinal fluid in congenital syphilis, *733
sodium chloride content in blood of syphilitic patients and its connection with Wassermann reaction, 1094
transfusion, transmission of syphilis by, 297; 714
Bloom, D.: Idiopathic macular atrophy and lupus erythematosus, 897
Blumenfeld, A.: Kerion microsporicum with hematogenous and ectogenous microsporids; report of a case, with reference to literature, *607
Boils and carbuncles among miners, 310
Bone, phosphorus, total calcium and diffusible calcium content of blood sera of lepers and their relation to bone changes, 456
syphilis; correlation of clinical picture with osseous lesions of congenital syphilis as shown by x-rays, 453, 644
syphilis; correlation of roentgenologic picture with gross and microscopic examination of pathologic material in congenital osseous syphilis, 117
syphilitic bone lesion produced by trauma, 1089

BOOK REVIEWS:
Cold in Relation to Skin Diseases, H. Haxthausen, 169
Food Allergy: Its Manifestation, Diagnosis and Treatment, with a General Discussion of Bronchial Asthma; A. H. Rowe, 528
Handbuch der Haut- und Geschlechtskrankheiten; J. Jadassohn, 528
Handbuch der Haut- und Geschlechtskrankheiten; R. Volk, 170
Histopathology of Skin Diseases; L. McCarthy, 928
Mal del Pinto; J. Gonzalez Urueña, 718
Practical Methods in Diagnosis and Treatment of Venereal Diseases, for Medical Practitioners and Students; D. Lees, 529
Practical Radiation Therapy; Ira I. Kaplan, 169
Traité de la syphilis; edited by E. Jeanselme. Volume 1: Histoire de la syphilis; E. Jeanselme, A. Sézary, E. Schulmann, G. Lévy and A. Lemaire. Volume 2: Microbiologie, serologie, anatomic pathologique; A. Touraine, R. Demanche, and G. Lévy, 1142
Transactions of the Eighth Congress International de Dermatologie et de Syphiligraphis Copenhagen, 1930; S. Lomholt, 718
Unification de la terminologie médicale; P. J. Rondopopoulos, 529

Bowen's disease: See Cancer
Brockelmann, E.: Rumpfhaut epithelioma, 138
Bromberg, L. K.: Lupus erythematosus disseminatus, *786
Brown, H.: Chemotherapy of ringworm infection; preliminary report, *1033
Bubos, a virus, pathogenic for monkeys, in certain venereal bubos, 875
differential diagnostic value of Frei's reaction and therapeutic test with Dmelcos' vaccine in Nicolas-Favre's disease and chancroidal bubo, 872
Burns, changes in sugar and lactic acid content of blood caused by, 453
Bursa, syphilitic bursopathy of Verneuil, *591

Busman, G. J.: Carotenemia, 901
Case for diagnosis, 903
Érythème annulaire centrifuge, 667
Erythema manus hereditarium, 153
Granuloma, 902
Granuloma inguinale of glans penis, 338
Impetigo with unusual hyperpigmented residua, 152
Lichen planus bullosum, 337
Lichenoid papular secondary syphilis, 905
Lupus vulgaris of nose; tuberculous dactylitis, 905
Paget's disease of glans penis with central carcinomatous degeneration, *396
Papulonecrotic tuberculid with tuberculous cervical adenopathy, 336
Psoriasis of palms, 906
Butler, J.: Periadenitis mucosa necrotica recurrens, 1116

Calcinosis, case for diagnosis, 470
Calcium, comparative studies on calcium gluconate and other calcium salts, 869
Cancer: See also Adenocarcinoma; Adenoma; Sarcoma; Tumor; etc.
Bowen's precancerous dermatosis, 695, 1112
carcinoma, 909
carcinoma (basal cell type), 337
influence of aqueous extract of suprarenal cortex on growth of carcinoma, sarcoma, and melanoma in animals, 1083
lip, 666
lupus carcinoma, 508
malignant neoplasms caused by ultraviolet irradiation of white mice, 880
mouth and lips, radiation therapy in, 880
Paget's disease of glans penis with central carcinomatous degeneration, *396
penis, 1119
relation of condylomata acuminata to carcinoma of penis, 307
roentgen carcinoma and sarcoma, 647
tongue, 710
Cannon, A. B.: Arsenical dermatitis followed by keratosis and alopecia, 676
Arsphenamine dermatitis and vitiligo, 677
Basal cell epithelioma, 143
Dermatitis medicamentosa (phenolphthalein), 899
Erythema multiforme bullosum with pigmentation and vitiligo, 673
Granuloma annulare, 143
Lymphogranuloma inguinale, 679
Multiple leiomyomas, 498
Mycosis fungoides (?); dermatitis exfoliative (?), 489
Rhinophyma, 899
Syphilitic anemia, 898
Tabes dorsalis; Charcot joint, 680
Tabes dorsalis following injury, 675
Trichophytosis of body, 670
Vitiligo; postarsphenamine dermatitis, 493
Cantor, M. J.: Pellagra, 464
Carbromal, dermatitis medicamentosa from, 124
Carbuncles, among miners, 310
Cardiovascular syphilis, treatment with reference to aortic regurgitation with congestive heart failure, 296
Caro, M. R.: Dermatitis herpetiformis, 701
Fox-Fordyce disease, 698
Recurrent chronic purpura, 702
Carotinemia: See Blood, carotene in
Cavanaugh, J. M.: Melanoma, 152
Cement carriers, skin affections in, 1093
Cerebrospinal Fluid, gold in spinal fluid in persons treated by intravenous injections of gold, 873
precipitation with, 298
prognostic import of negative spinal fluid in early and latent syphilis, *404
relationship of serology of blood to that of spinal fluid in congenital syphilis, *733
spirochetes in spinal fluid in early syphilis, 126
Chancres, extragenital hypertrophic chancres, 2 cases, 129
multiple, 502
penis in boy of 6, 684
Chancroid, Ravaut's intradermal test for, 875
Chargin, L.: Arsphenamine dermatitis with marked keratosis of palms and soles, 1103
Epithelioma in a syphilitic tongue, 463
Lichen planus and psoriasis, 1105
Lupus miliaris facei, 672
Macular atrophy of skin, *614
Morphea, 912
Parapsoriasis in patches, 899
Pemphigus, 465, 1105
Prurigo nodularis, 1108
Solid edema, 466
Syphilitic parotitis, *236
Urticaria pigmentosa with macular atrophy, 1101
Chickenpox, herpes-zoster-varicella problem, 653
reappearance of chickenpox lesions following administration of diphtheria toxin-antitoxin, 869
Chin, mottled chin due to syphilis, 318
Cholesterol, Gougerot and Ragu's report on relation of cholesterol of blood to Wassermann-fastness, 123
influence of amount of blood cholesterol on serologic reactions for syphilis (Wassermann, Hecht, Desmoulieres), 123
Chondrodermatitis nodularis chronica helicis, 471
Chouret, E. E.: Xanthoma diabeticorum; report of case, *604
Chrome poisoning with manifestations of sensitization, 870
Chrysanthemum leaves, dermatitis venenata due to, 645
Cicatrix, hypertrophic scars at sites of healed ulcerated nodules of syphilis, 1119
scar depigmentation in Negro following superficial ulcerating lesions of syphilis, 1120
Coal tar, treatment of psoriasis with crude coal tar and ultraviolet light, *446
Coe, H. C.: Erythema infectiosum, 665
Cold, therapeutic use; comments on cryotherapy, 301
Cole, H. N.: Acrodermatitis perstans, 163
Actinomycosis, 344
Arterial embolism following injection of mercuric salicylate, 345
Cylindroma, 344
Hidradenoma of lower eyelids, 345
Keratosis follicularis, 917
Lymphangioma, 162
Melanosis of Riehl, 715
Presence of uneven quantities of bismuth in oily bulk suspension of bismuth salts, *739
Pustular psoriasis, 342
Coleman, W. G.: Case for diagnosis, 320
Tularemia, ulceroglandular type, 319
Colloid degeneration, pathology of yellowing dermatoses, *954
Combes, F. C.: Leprosy; tuberculosis, 472
Onychauxis and keratosis plantaris, 711
Roentgen sequelae, 480
Sarcoid, 924
Sarcoid of head, 924
Urticaria with pigmentation, 921
Yeast infection of skin, 703
Comedo, unusual distribution and morphological modification, 122
Condylomata acuminata, relation to carcinoma of penis, 307
Conrad, A. H.: Erythrodermie pityriasique et plaques disséminées, Brocq, 318
Lupus vulgaris, 688
Cornell, V. A.: Syphilis (early or late?) 894
Crawford, S.: Cutaneous gangrene, 154
Parapsoriasis, 153
Roentgen (filtered) dermatitis of abdomen, 155
Creeping eruption, etiology of, 459
Cregor, F. W.: Relationship of serology of blood to that of spinal fluid in congenital syphilis, *733
Cryotherapy: See Cold, therapeutic use
Cummer, C. L.: Lupus erythematosus in infancy and in childhood, *999
Syphilis from blood transfusion, 714
Cyanosis, acrocyanosis, 519
Cylindroma, 344

Dactylitis, tuberculous, with lupus vulgaris of nose, 905
Darier's Disease: See Keratosis follicularis
David, L. T.: Hairless mammals; comparative histologic studies; preliminary report, *196
Deafness, uveitis associated with alopecia, poliosis, vitiligo and, 1084

Dementia paralytica in rural populations; its frequency and etiologic implications, 300
paralytica, treatment of, 646
Dentists, procaine hydrochloride dermatitis in, 1092
Dermatitis, acid-base balance in some dermatoses, 304
actinica, 1130
acute, due to opium preparations, *417
acute, pathogenesis and therapy of, 1088
and argyria, 474
artefacta, 313, 497
chronic atrophic lichenoid dermatitis (Csillag), 468
common dermatoses of face, 1086
exfoliativa, (?) 149, (?) 498
exfoliativa, relationship of dermatitis exfoliative neonatorum Ritter and impetigo bullosa in adult, *830
exfoliative following treatment by gold salt, 304
exfoliative dermatitis from neoarsphenamine; autohemotherapy followed by furunculosis; biologic tests for sensitization to neoarsphenamine, 304
exfoliative, mycosis fungoides, 489
factitia, 164, 342
gangrenosa, 691
Herpetiformis: See Dermatitis multiformis
hydrogen ion concentration of surface of skin in various dermatoses, 307
industrial, 714
Medicamentosa: See under Arsenic; Arsphenamine; Carbromal; Gold; Phenolphthalein; Procaine; etc.
multiformis, 465, 701
multiformis, animal experiments regarding infectious-toxic origin of pemphigus vulgaris and dermatitis herpetiformis, 127
multiformis, Duhring's disease in child whose mother had tertiary syphilis, 304
multiformis (?) mycosis fungoides, 904
papulosa nigra (Castellani), 119
venenata, (?) 687, 910, (?) 922
venenata due to application of adhesive plaster, 342
venenata due to chrysanthemum leaves, 546
venenata due to shoe leather, 2 cases, *597
venenata (Mercirex ointment) with secondary staphylococcus infection, 497
Dermatology, directory of societies, 174, 350, 530, 719, 930, 1143
in a changing world, *177
in Soviet Russia, *853
index to current literature, 171, 346, 533, 722, 933, 1146
Dermatophytes, heterothallism among dermatophytes; inquiry into 3 commoner species, *22
Dermatophytosis: See under Mycosis
Dermatosis: See Dermatitis; Eczema; Skin diseases; etc.
Dermographismus elevatus, physiology of, 1091
Dermoluetin, interpretation of dermoluetin reaction in syphilis; experience with Kolmer organic extract, *937
DeWolf, H. F.: Actinomycosis (?), 1140
Acrodermatitis perstans, 341
Bismuth stomatitis, 914
Case for diagnosis, 712, 916, 1139, 1140, 1141
Dermatitis factitia, 164, 342
Dermatitis medicamentosa (neoarsphenamine?) 164
Dermatitis venenata due to application of adhesive plaster, 342
Dermatosis industrial, 714
Erythema multiforme, 341, 1139
Erythema pernio, 713
Favus, 713, (?) 916
Gumma of penis and scrotum, 163
Gumma with malignant degeneration, 1137
Lymphangioma of buttock, 341
Lymphoblastoma, 915
Lymphogranulomatosis inguinalis, 165
Lymphosarcoma (?); Hodgkin's disease, 341
Mycosis fungoides, 714
Pellagra, 165
Pustular psoriasis, 1138
Recurrent secondary syphilid; syphilitic nephritis; scabies, 914
Schweninger-Buzzi's disease, 916
Diabetes mellitus; acromegaly with diabetes mellitus and xanthoma diabeticorum, 117
sugar content of skin and muscle in diabetic and non-diabetic persons, 455
Diasio, F. A.: Pityriasis lichenoides et varioliformis acuta (Habermann); report of case, *72
Diet, seasonal variations in incidence of diseases and influence of diet on experimental sensitizations, 652
Dinitrochlorbenzol, occupational sensitization to, 1091
Diphtheria, cutaneous infection with a diphtheroid bacillus, 299
scarlatiniform exanthem and serotherapy in course of, 458
toxin-antitoxin, reappearance of chickenpox lesions following administration of, 869
Directory of dermatologic societies, 174, 350, 530, 719, 930, 1143
Disease, seasonal variations in incidence of diseases and influence of diet on experimental sensitizations, 652
Dixon, R. S.: Pityriasis rosea, 161
Prickle cell epithelioma, 161
Dmelcos' vaccine; differential diagnostic value of Frei's reaction and therapeutic test with Dmelcos' vaccine in Nicolas-Favre's disease and chancroidal bubo, 872
Dorne, M.: Treatment of superficial fungus infections with long wave length roentgen rays (grenz rays), *409
Driver, J. R.: Acrodermatitis perstans, 163
Actinomycosis, 344
Arterial embolism following injection of mercuric salicylate, 345
Cylindroma, 344
Hidradenoma of lower eyelids, 345
Keratosis follicularis, 917
Lymphangioma, 162
Melanosis of Riehl, 715
Pustular psoriasis, 342
Duelming, W. W.: Roentgen dermatitis, 322
Dyskeratosis: See Keratosis
Dysplasia, hereditary ectodermal dysplasia, 647

Ebert, M. H.: Case for diagnosis, 702
Lupus pernio, 700
Ectodermal dysplasia, hereditary, 647
Eczema and lymphangitis, 1126
due to fungi; report of a case in an 18 months old baby, *554
food, 494
functional tests to determine disposition to development of, 877
infantile, 301
infantile, with reference to use of milk-free diet, 118
infectious eczematoid dermatitis, 1114
linear, over an acute lymphangitis, 308
menstrual, 467
of exposed areas due to streptococcus, 302
pathogenesis and therapy of acute eczema and acute dermatitis, 1088
"photomicrobic eczema" of face, 2 cases, 871
primary retroauricular intertrigo due to yeasts; secondary eczema of arms and legs; biologic reactions, 124
professional anaphylactic eczema from dyed fur; hemoclastic crisis, 650
vaccine infection in, 876
Edema, solid, 466, 671
Elephantiasis nostras (solid edema), 671
Eller, J. J.: Fatal iododerma, *745
Keratosis palmaris et plantaris, 501
Lupus erythematosus, 925
Lupus erythematosus or telangiectasia, 476
Rosacea-like tuberculid of Lewandowsky, 922
Tuberculid, 681
Embolism, arterial, following injection of mercuric salicylate, 345
incidence in treatment of varicose veins with sclerosing solutions, report of fatality, 870
Enamel workers, occupational cutaneous conditions in, 1089
Encephalitis and generalized eruption following vaccination, 134
hemorrhagic, after neoarsphenamine, 646
loss of viricidal property in serums from patients with herpes and encephalitis, 646

Endameba histolytica; amebiasis cutis (Endameba histolytica); report of 2 cases, *1
Endocrine Glands, defect due to syphilis, 1111
excessive ultraviolet irradiation, effect on, 452
skin in endocrinopathies; 3 cases of atypical circumscribed myxedema, 658
Engman, M. F., Jr.: Amebiasis cutis (Endameba histolytica); report of 2 cases, *1
Epidermodysplasia, is epidermodysplasia verruciformis (Lewandowsky-Lutz) an individual dermatosis, 308
Epidermolysis bullosa, 513
Epidermomycosis; Epidermophytosis: See Mycosis
Epilation by tweezers in dermatology, 133
Epinephrine: See Suprarenal preparation
Epithelioma, 332, (?) 893
and lupus erythematosus, 691
and lupus vulgaris, 1125
basal cell, 143, 917
basal cell, with metastasis, 146
early, *835
in a syphilitic tongue, 463
left upper eyelid, 1121
lower lip, 503
multiple benign cystic, 911
penis, 299, 1088
prickle cell, (?)161; 699
Rumpfhaut, 138
squamous cell, developing on ulcerated buccal lichen planus, 872
superficial, 332
Ergosterol, viosterol in treatment of psoriasis, 1086
Ergotism, chronic endemic; its relation to vasomotor and trophic diseases, 454
Erosio interdigitalis in Negress, 139
interdigitalis, perlèche erosio interdigitalis (hands), chronic intertriginous mycotic dermatitis (feet, groins and inframammary region) and mycotic vulvitis and vaginitis, 321
Erysipeloid in United States, 118
serum therapy or intensive ultraviolet irradiation for, 460
Erythema annulare centrifuge, 156, 667, 891, 1133
elevatum diutinum, 122
erythematous group of skin diseases with especial reference to abdominal pain, 646
exsudativum, after-examinations of patients with erythema nodosum and erythema exsudativum multiforme do not support view of tuberculous nature of these conditions, 1096
induratum, papulonecrotic tuberculid, tuberculous elbow and radiodermatitis, 679
infectiosum, 665
infectiosum, fifth disease (epidemic erythema infectiosum), 311
manus hereditarium, 153
multiforme, 341, (?) 682, (?) 889, 912, 1139
multiforme apparently of trichophytic origin, 1087
multiforme associated with Nicolas-Favre's disease, 873
multiforme bullosum, 1110
multiforme bullosum with pigmentation and vitiligo, 673
multiforme perstans, 688
nodosum, 1087
nodosum and erythema exsudativum multiforme, after-examinations do not support view of tuberculous nature of these conditions, 1096
nodosum or Bazin's disease, 1114
nodosum, tubercle bacilli in children with, demonstration by gastric lavage, 452
pernio, 713
Erythroderma, case of erythro-edema, 457
case for diagnosis, 514
chronic, 1123
chronic streptococcic, 872
due to gold therapy, 123
erythrodermie pityriasique et plaques disséminées, Brocq, 318
Erythrose peribuccale pigmentosa, case for diagnosis, 891
Espundia and cutaneous myiasis, 895
Esthiomene, 4 new cases of anorectal syphiloma and esthiomene with positive Frei test, 874
Excoriation, neurotic, 667
Exostoses, subungal, *371
Eye, lepra of eyes and dynamics of leprous process, 1094
Eyelid, epithelioma of left upper, 1121
hydradenoma of lower eyelids, 345
pigmentation of sclerae, eyelids and temples (melanin?), 921

Face, common dermatoses of, 1086
Fat, hypersensitiveness to wool fat, 455
multiple local necroses of subcutaneous fat tissue, 458
quantitative and qualitative determinations of human skin fat, 460
subcutaneous atrophy of, 908
Favus, 664, 665, 713, (?) 916
of American origin, 694
Feit, H.: Basal cell epithelioma with metastasis, 146
Erythrose peribuccale pigmentosa, 891
Late secondary syphilis, 484
Phenolphthalein eruption, 680
Psoriasis (familial), 145
Trophic ulcer, 1108
Feldman, S.: Pityriasis rosea (second attack), 898
Fever, Therapeutic: See also Malaria, therapeutic
therapeutic; bacterial protein fever in treatment of syphilis in rabbit, *546
therapeutic; taboparesis treated by hyperpyrexia induced by hot baths, 457
Fibroid syphilomas, 334
Fibroma, case for diagnosis, 474
lupus vulgaris, hydrocystoma and multiple fibromas, 324
Filaria loa: See Loa loa
Finnerud, C. W.: Annular papular syphilis occurring almost simultaneously in a father and three young children, 327
Lupus vulgaris, hydrocystoma and multiple fibromas, 324
Perlèche, erosio interdigitalis (hands), chronic intertriginous mycotic dermatitis (feet, groins and inframammary region) and mycotic vulvitis and vaginitis, 321
Foerster, H. R.: Rhinoscleroma, 696
Folliculitis decalvans and lichen spinulosus; report of case, *101
Fordyce-Fox Disease: See Fox-Fordyce Disease
Fournier, conférence internationale de défense sociale contre la syphilis; centenaire d'Alfred Fournier, 451
Fox, E. C.: Fatal iododerma, *745
Fox, H.: Acrodermatitis atrophicans chronica, 1129
Dermatology in Soviet Russia, *853
Erythema multiforme bullosum (?), 1110
infectious eczematoid dermatitis (?), 1114
Lichen planus confined to mouth, *1071
Lichen planus linearis, 712
Lingua nigra, 710
Maculo-anesthetic leprosy, 1127
Microsporid following roentgen ray epilation of scalp, 684
Mycosis fungoides, 1127
Radiodermatitis, 681
Sarcoma of leg, 1133
Fox-Fordyce disease, 305, 698
diagnosis of, 308
in which a cure was obtained by antisyphilitic treatment, 132
Frambesia, cholesterol content of blood serum in yaws, *418
clinical value of combined Kahn and Wassermann tests in tropics with special reference to yaws and syphilis, 310
experimental syphilis and yaws in rabbits inoculated through subarachnoid space, 462
incidence in south Pacific, 871
Frank, L. J.: Lichen planus and angiokeratoma, 467
Lupus vulgaris, 469
Fraser, J. F.: Argyria and dermatitis, 474
Tinea amiantacea, 925
Freeman, C. D.: Disseminated lupus erythematosus acutus, 884
Pemphigus neonatorum congenitus or impetigo neonatorum congenita, *1058

Frei test, 4 new cases of anorectal syphiloma and esthiomene with positive Frei test, 874
differential diagnostic value of Frei's reaction and therapeutic test with Dmelcos' vaccine in Nicolas-Favre's disease and chancroidal bubo, 872
Friedman, R.: Symptomatic and asymptomatic ringworm of feet; report based on a study of 1073 consecutive cases in dispensary, covering a period of 1 year, *430
Fumigation as an aid in control of superficial fungus infections, *283
Fungus, eczema due to fungi; report of case in baby, *554
infection, 698
infections, fumigation as an aid in control of superficial fungus infections, *283
infections, treatment of superficial fungus infections with long wavelength roentgen rays (grenz rays) *409
Fur, professional anaphylactic eczema from dyed fur; hemoclastic crisis, 650
Furunculosis, autohemotherapy in, 136
exfoliative dermatitis from neoarsphenamine; autohemotherapy followed by furunculosis; biologic tests for sensitization to neoarsphenamine, 304
local treatment with pure sulphonated bitumen, N. F., 878

Gager, E. C.: Acrodermatitis atrophicans, 884
Questionable syphilis, 883
Gammel, J. A.: Localized neurofibromatosis, 712
Gandy, D. T.: Interpretation of dermoluetin reaction in syphilis; experience with Kolmer organic extract, *937
Gangrene, cutaneous, 154
Garner, V. C.: Parapsoriasis en plaques disseminées, 1098
Syphilitic bursopathy of Verneuil, *591
Gastro-intestinal tract, pellagra secondary to benign and carcinomatous lesions and dysfunction of, 454
Gauvain, E. A.: Menstrual eczema, 467
Genitalia, nonsyphilitic condition of genitalia resembling secondary syphilitic papules, 878
Gerson diet in lupus vulgaris; lupus erythematosus, 323
Gilman, R. L.: Senear-Usher syndrome; a dermatosis combining features of lupus erythematosus and pemphigus, *84
Dermatitis venenatum, 687
Syringoma, 1097
Gingivitis, proliferative, of pregnancy; report of cases, *580
Glycerin, diluted, as an agent in occlusion of varicose veins, 124
in four cases of Nicolas-Favre's disease, 651
Goeckerman, W. H.: Cutaneous lymphoblastoma; report of 2 unusual cases, *383
Treatment of psoriasis; continued observation on use of crude coal tar and ultraviolet light, *446
Gold compound, cases of lupus erythematosus and lupus vulgaris treated by intracutaneous injections of gold compound into lesions, 484
compounds, eruption following injections of gold compounds, 150
4-amino-2 auro-thiophenol carbonic acid in skin diseases, 1092
in spinal fluids in persons treated by intravenous injections, 873
modification of therapy with gold compounds in lupus erythematosus; preliminary communication, *110
salt, exfoliative dermatitis following treatment, 304
sodium chloride, intravenously in lichen scrofulosorum, 885
therapy, erythroderma due to, 123
therapy in parapsoriasis, 871
therapy in syphilis, 125
therapy, keratoderma due to gold therapy, 303
therapy, papulosquamous tuberculids cured by gold therapy, 304
therapy with severe shock, 125
Golden, L. A.: Complete loss of pigment in skin of Negro; case of complete leukoderma, *1069
Goldmann, B. A.: Favus, 665
Molluscumfibrosum, 336
Tularemia, 666
Gonococcal stomatitis, 458
Goodman, H.: Erythema induratum, papulonecrotic tuberculid, tuberculous elbow and radiodermatitis, 679
Erythema multiforme, 889
Pityriasis lichenoides, 898
Syphilis, urticaria pigmentosa and hairy tongue, 898
Goodman, M. H.: Multiple lesions of skin apparently of epithelial origin resembling clinically mycosis fungoides, report of case, *758
Graham, J. C.: Psoriasis in a Negro, 692
Granuloma, 902
annulare, 143, (?) 166, 316, 651
fungoides, 511
inguinale of glans penis, 338
of oral mucosae, 664
telangiectodes, 879
Grass pollen, urticaria due to, 298
Greenbaum, S. S.: Lichen scrofulosorum treated with gold sodium chloride intravenously, 885
Pityriasis lichenoides et varioliformis acuta, 886
Grenz rays: See Roentgenotherapy
Grimes, E.: Autohemic treatment of rhus toxicodendron dermatitis, *725
Gross, P.: Lupus vulgaris and lichen scrofulosorum treated by diet, 492
Pityriasis lichenoides chronica, 1103
Tuberculosis, 1102
Gummas, nodular nonulcerative gummas, 168
of median nerve, 1107
of penis and scrotum, 163
of skin after malaria therapy, 877
with malignant degeneration, 1137
Guy, W. H.: Carcinoma of lip, 666
Favus, 665
Miliary lupus resembling rosacea, 338
Neurotic excoriation, 667
von Recklinghausen's disease, 336
Tularemia, 666, 900

Hair, acquired progressive kinking of hair of scalp, 315
hairless mammals; comparative histologic studies; preliminary report, *196
heterochromia of, 460
localized hypertrophy of hairs after epilation of scalp with x-rays, 127
superfluous, of forearms and lumbar region in girl aged 5 years, 314
Hansen's Disease: See Leprosy
Harkins, M. J.: Chemotherapy of ringworm infection; preliminary report, *1033
Harris, J. H.: Epithelioma, 893
Hasley, C. K.: Scleroderma, 162
Heart disease, syphilitic, 644
failure, treatment of cardiovascular syphilis with reference to aortic regurgitation with congestive heart failure, 296
pathologico-anatomic changes in muscles, vessels and valves of hearts of rabbits in experimental syphilis, 131
Heat, skin reactions produced by alternations of heat and x-ray at various time intervals, 119
Hedge, H. M.: Blood in psoriasis, with reference to calcium, phosphorus and potassium, *204
Heller, N. B.: Acute dermatitis due to opium preparations, *417
Hemangiomas, cavernous, injection treatment of; report of case and historical review, *992
Hemato-Encephalic barrier: See Meninges, permeability
Hematolymphangioma of tongue, 877
Hematoporphyria, acute, report of 2 cases, 454
Hemochromatosis, Schamberg's disease associated with, *380
Henderson, K. I.: Presence of uneven quantities of bismuth in oily bulk suspension of bismuth salts, *739

Herpes and allied conditions, 1084
loss of viricidal property in serums from patients with herpes and encephalitis, 646
simplex or febrilis, 654
zoster, bilateral, following acute arsenic poisoning, *280
zoster, pathogenesis and physiology, 649
zoster-varicella problem, 653
Heterochromia of hair, 460
Heterothallism among dermatophytes; inquiry into 3 of commoner species, *22
Hidradenoma of lower eyelids, 345
Histamine, cutaneous reactions: reactions in occlusive and spastic vascular disease and in chronic infectious arthritis, 453
Hodgkin's Disease: See Lymphogranuloma
Hollander, L.: Blastomycosis, 338
Carcinoma (basal cell type), 337
Dermatitis herpetiformis, mycosis fungoides, 904
Erythème annulare centrifuge, 156
Large nodular type of sarcoid of Boeck or nodular tuberculosis of hypoderm (Wende), 153
Lichen chronicus simplex, 904
Psoriasis guttata, 902
Scleroderma, 903
Tertiary syphilis, 335
Tuberculosis luposa, 338
Hopkins, H. H.: Prognostic import of negative spinal fluid in early and in latent syphilis, *404
Hopkins, J. G.: Dermatitis venenata (mercirex ointment) with secondary staphylococcus infection, 497
Food eczema, 494
Tularemia (ulceroglandular type), 495
Horn, cutaneous horn on amputation stump, 121
Hydrocystoma, lupus vulgaris and multiple fibromas, 324
Hydrogen ion concentration of surface of skin in various dermatoses, 307
Hyperkeratosis: See under Keratosis
Hyperpyrexia: See under Fever
Hypertrichosis: See Hair, superfluous
Hypoderm, tuberculosis of hypoderm simulating Madura foot, 124

Ichthyosis hystrix linearis, 906
Idiophagedena of vulva; geometric phagedena of Brocq and Simon, 124
Impetigo bullosa; relationship of dermatitis exfoliativa neonatorum Ritter and impetigo bullosa in adult, *830
contagiosa neonatorum, 455
neonatorum congenita or pemphigus neonatorum congenitus, *1058
with unusual hyperpigmented residua, 152
Industrial diseases; compensable disability in occupational dermatoses, *401
cutaneous conditions in enamel workers, 1089
dermatoses due to arsenic, 1089
neoplastic disease, 1083
sensitiveness of skin; sensitization to dinitrochlorbenzol through, 1091
Infections, treatment of septic infections of derma and hypoderm by intradermal and subcutaneous injections of phenol in glycerine, 1088
Insulin and ulcers of leg, 650
Intertrigo, primary retro-auricular intertrigo due to yeasts; secondary eczema of arms and legs; biologic reactions, 124
Iododerma, fatal, *745
Iodoform idiosyncrasy, 306
Itch: See Scabies
Ivy, Poison: See under Rhus

Jacob, F. M.: Bilateral herpes zoster following acute arsenic poisoning, *280
Carcinoma of lip, 666
Miliary lupus resembling rosacea, 338
Neurotic excoriation, 667
Tularemia, 900
Jamieson, R. C.: Ulerythema ophryogenes and syphilis, 161
Jaundice, pathology of yellowing dermatoses; nonxanthomatous (jaundice, carotinemia, blood pigmentation, melanin, colloid degeneration and elastic degeneration), *954
primary syphilis in presence of congenital hemolytic icterus, 335
Jugular compression: an adjunct in treatment of syphilis of central nervous system, *727
Juxta-Articular Nodules, subcutaneous, 1085
syphilitic, 296
syphilitic, symbiotic infection in, 1091

Kahn, B. L.: Bacteriophage therapy for pyodermia; report of 20 cases, *218
Tuberculous adenitis previously diagnosed as Hodgkin's disease, 1099
Kahn Reaction: See Syphilis, serodiagnosis
Kenney, F. P.: Lupus vulgaris, 666
Sarcoid: Darier-Roussy, 155
Keratitis, arsenical exfoliative, 1084
Keratoderma, arsenical, 526
blennorrhagicum, *291
due to gold therapy, 303
Keratoma plantare sulcatum (Castellani), *271
Keratosis, 478
arsenical dermatitis followed by keratosis and alopecia, 676
arsphenamine dermatitis with marked keratosis of palms and soles, 1103
congenital, 659
dyskeratosis (Bowen), 326
dyskeratosis (Darier) and hyperkeratosis (Kyrle), 652
follicularis (Darier's disease), 315, 690, 917
hyperkeratosis (Kyrle) and dyskeratosis (Darier), 652
palmaris et plantaris, 140, 501
palmaris hereditaria, 336
plantaris and onychauxis, 711
seborrheic, 500
seborrheic, of nevoid and verrucose types, 504
Kerion microsporicum with hematogenous and ectogenous microsporids, report of a case, *607
Ketron, L. W.: Multiple lesions of skin apparently of epithelial origin resembling clinically mycosis fungoides, report of case, *758
Kidney, adenocarcinoma with unusual manifestations, 1084
Kingsbury, J.: Chancre of penis in boy of 6, 684
Erythema annulare centrifuge, 891
New antimony compound in treatment for leprosy, *1053
Kistiakovsky, E. V.: Unusual coloration of skin and mucous membrane in Aryans, *247
Klein, H. N.: Case for diagnosis, 882
Kolmer, J. A.: Bacterial protein fever in treatment of syphilis in rabbit, *546
Kolmer organic extract, *937
Koremlu, report of thallium acetate poisoning following use of, 646
Kurtz, M. B.: Serologic tests for syphilis, with special reference to treatment; comparative study, *104

Lane, J. E.: Hypertrophic lichen planus with vesicle formation, 919
Pemphigus of mouth, 920
Laparotomy, mycosis fungoides following, 298
Larva Migrans: See Creeping eruption
Lawless, T. K.: Report on "a new form of therapy for psoriasis," *864
Leather, dermatitis venenata due to shoe leather, report of 2 cases, *597
Leiomyomas, multiple, 498
Lentigo maligna; report of case treated with radium, 1083
Leprosy, 122, 454, 472, 516
dynamic classification of clinical forms of lepra, 1093
lepra of eyes and dynamics of leprous process, 1094
lupoid "en placard"; rare form of Boeck's disease provoked by traumatism and simulating leprosy, 300
maculo-anesthetic, 1127
new antimony compound in treatment for, *1053
phosphorus, total calcium and diffusible calcium content of blood sera of lepers and their relation to bone changes, 456
Leukemia cutis, report of case, *587
lymphatic, and tertiary syphilis, 1114
lymphatic, zoster generalisatus (varicellosus), leukemia lymphatica and arsenic, 877
transmissible lymphoid leucemia of mice, 456

Leukoderma: See Vitiligo
Leukomelanoderma following neoarsphenamine dermatitis, 1089
Leukonychia: See under Nails
Leukoplakia buccalis, 647
Lewis, G. M.: Dermatitis venenata due to shoe leather; report of 2 cases, *597
Lichen chronicus simplex, 904
pilaris spinulosus, 317
ruber, rarer forms of, 127
sclerosis, 1125
scrofulosorum, 661
scrofulosorum, gold sodium chloride intravenously in, 885
scrofulosorum treated by diet, 492
spinulosis and folliculitis decalvans; report of a case, *101
Lichen Planus, 139, 158, (?) 160, 1125
and angiokeratoma, 467
and psoriasis, 1105
and psoriasis in same patient, 709
atrophicus, 340, 468
atrophicus et sclerosis, 523
bullosum, 337
confined to mouth, *1071
following diagnosis of pityriasis rosea, 329
hypertrophic, with associated ordinary lichen planus, 1098
hypertrophic, with vesicle formation, 919
linearis, 712, 913
papular syphilids resembling lichen planus, 328
sclerosus, case for diagnosis, 474
sensitization dermatitis, occurring in patient with lichen planus after second dose of acetylarsan, 873
squamous cell epithelioma developing on ulcerated buccal lichen planus, 872
syphilis resembling, 507
unusually severe case, 501
Lichtenstein, J. V.: Tryparsamide therapy; follow-up report on 76 patients with neurosyphilis treated with tryparsamide, *182
Light, S. E.: Injection treatment of cavernous hemangiomas; report of case and historical review, *992
Microscopic demonstration of ringworm; results of 733 examinations, *108
Light, penetration through human skin, 310
Lingua: See Tongue
Lip, cancer, 666
cancer, radiation therapy in, 880
epithelioma of, 503
Livedo racemosa, 1121
reticularis, 694
Loa-loa, 299
Ludy, J. B.: Sensitiveness to mercury, 884
Luetin test: See under Syphilis
Lung, syphilis, 454
Lupoid "en placard"; rare form of Boeck's disease provoked by traumatism and simulating leprosy, 300
Lupus carcinoma, 508
dietary therapy of, 311
erythrematodes, bismuth therapy of, 132
erythematosus, 323, 686, 925, 1131
erythematosus, acute disseminated, 884, 1116, 1123
erythematosus and epithelioma, 691
erythematosus and idiopathic macular atrophy, 897
erythematosus disseminatus, *786
erythematosus in infancy and in childhood, *999
erythematosus, modern treatment of, 462
erythematosus, modification of therapy with gold compounds in lupus erythematosus; preliminary communication, *110
erythematosus or telangiectasia, 476
erythematosus, psoriasis resembling lupus: trichostasis spinulosa, 1135
erythematosus: roentgen-ray dermatitis and psoriasis, 505
erythematosus, salt of auro-allylthiocarbamidobenzoic acid in, 127
erythematosus; Senear-Usher syndrome; a dermatosis combining features of lupus erythematosus and pemphigus, *84
Lupus—Continued
erythematosus, treated by intracutaneous injections of a gold compound, 484
erythematosus with carcinomatous changes, 138
miliaris disseminatus, 903
miliaris, disseminatus faciei, 525
miliaris faciei, 672
miliary lupus resembling rosacea, 338
pernio, 694, 700
pernio and sarcoid of Boeck, 1090
pernio, tubercle bacilli in, 459
problem in southern Hungary, 307
vulgaris, 151, 317, 469, 509, 663, 666, 688, 1122
vulgaris and epithelioma, 1125
vulgaris and lichen scrofulosorum treated by diet, 492
vulgaris and syphilis, 1113
vulgaris, case with particularly striking specific general and local reaction, 307
vulgaris erythematoides, 524
vulgaris, hydrocystoma and multiple fibromas, 324
vulgaris, medical treatment of, 459
vulgaris of nose: tuberculous dactylitis, 905
vulgaris (treated by Gerson diet), lupus erythematosus, 323
vulgaris, treated by intracutaneous injections of gold compound, 484
vulgaris, treatment with roentgen rays, 128
Lymph Nodes, experimental research concerning syphilitic lymph gland infection of apes, 879
investigation of flora of lymphatic glands in skin diseases of unknown origin, 454
spirochaeta pallida in regional lymphatic nodes in syphilitic mice, 461
sun rays combined with roentgen rays in tuberculosis of, 135
tuberculous adenitis previously diagnosed as Hodgkin's disease, 1099
Lymphangio-endothelioma, cystic, of scrotum, 306
Lymphangioma, 162
inguinal; Nicolas-Favre disease, case verified by inoculation of a monkey, 303
inguinale, cutaneous reactions to nonspecific antigens (chancroidal and tuberculin) in Nicolas-Favre's disease, 875
inguinale; differential diagnostic value of Frei's reaction and therapeutic test with Dmelcos' vaccine in Nicolas-Favre's disease and chancroidal bubo, 872
inguinale; erythema multiforme associated with Nicolas-Favre's disease, 873
inguinale; intradermal reactions in Nicolas-Favre's disease, 874
inguinale; Nicolas-Favre's disease, 874
inguinale; Nicolas-Favre's disease, glycerin injections in, 651
inguinale; Nicolas-Favre's disease variety of, with formation of abscesses, 874
inguinale; Nicolas-Favre's disease with anorectal stricture, atypical manifestation, 874
inguinale; specific intradermal test in Nicolas-Favre's disease, 875
of buttock, 341
Lymphangitis and eczema, 1126
case for diagnosis, 475
linear eczema over an acute lymphangitis, 308
Lymphatic system, changes in lymphatic system in experimental syphilis of rabbit (involvement of regional lymphatic nodes in testicular syphilis), 461
Lymphoblastoma, case for diagnosis, 915
cutaneous, report of 2 unusual cases, *383
Lymphogranuloma, 341; 506
inguinale, 147, 165, 308, 679
inguinale, distribution of, 877
inguinale (purulent inguinal adenopathies), 873
inguinale, subacute, radiotherapy of, 875
surface lymphogranulomatosis confined to oral and penile mucosa, report of case, *288
tuberculous adenitis previously diagnosed as Hodgkin's disease, 1099
with unusual eruption, 648

Lymphosarcoma (?); Hodgkin's disease, 341
Lynch, F. W.: Acute psoriasis, 331
Fibroid syphilomas, 334
Hypertrophic scars at sites of healed ulcerated nodules of syphilis, 1119
Lichen planus, following a diagnosis of pityriasis rosea, 329
Nevus telangiectaticus, 1118
Primary syphilis in presence of congenital hemolytic icterus, 335
Psoriasis, 330
Scar depigmentation in Negro following superficial ulcerating lesions of syphilis, 1120

M 303, new antimony compound in leprosy, *1053
MacKee, G. M.: Telangiectasia caused by grenz rays, 926
Macula atrophy, case for diagnosis, 474
eruption, case for diagnosis, 472
idiopathic macular atrophy, 144
Madden, J. F.: Case for diagnosis, 882
Epithelioma, 332
Epithelioma of left upper eyelid, 1121
Lupus erythematosus acutus disseminatus, 1123
Nodular ulcerating syphilid, 1121
Parapsoriasis, 1120
Strophulus, 1119
Madura Foot: See Mycetoma
Malaria, therapeutic; gummas of skin after, 877
therapeutic; inoculations of malaria for treatment of tabes, 135
therapeutic; rupture of spleen in malarial therapy in syphilis, 118
Maloney, E. R.: Psoriasis resembling lupus erythematosus; trichostasis spinulosa, 1135
Mayer, R. L.: Sensitizations; regional, seasonal, dietary and other influences accounting for variations and fluctuations, *537
Maynard, M. T. R.: Mycosis fungoides, 660
Meinicke Reaction: See under Syphilis
Melanin, pathology of yellowing dermatoses, *954
pigmentation of sclerae, eyelids and temples (melanin?), 921
Melanoma, 152, 521
influence of aqueous extract of suprarenal cortex on growth of carcinoma, sarcoma, and melanoma in animals, 1083
malignant, 1117
melanosis of Riehl, 715
melanosis lenticularis of Hutchinson, 1117
of penis, 663
Meleney, H. E.: Amebiasis cutis (Endameba histolytica), report of 2 cases, *1
Meninges, permeability; "hemato-encephalic barrier" in syphilis, 309
Weil-Kafka hemolysin reaction in study of meningeal permeability, 125
Menstruation, eczema in, 467
Mercirex ointment as cause of dermatitis venenata with secondary staphylococcus infection, 497
Mercury, arterial embolism following injection of mercuric salicylate, 345
association of reducing compounds and mercurials in pomades, 300
sensitiveness to, 884
Metasyphilis: See Syphilis, congenital
Michelson, H. E.: Acute disseminated lupus erythematosus, 1116
Case for diagnosis, 328
Case for diagnosis (eruption caused by phenolax; recurrent macular annular syphilid? Pityriasis rosea?), 329
Chronic erythroderma, 1123
Epithelioma of left upper eyelid, 1121
Livedo racemosa, 1121
Lupus erythematosus acutus disseminatus, 1123
Lupus vulgaris, 1122
Melanosis lenticularis of Hutchinson, 1117
Nodular ulcerating syphilid, 1121
Parapsoriasis, 1120
Pityriasis lichenoides chronica, 328
Psoriasis, 331
Psorospermosis follicularis vegetans, 1117
Strophulus, 1119
Superficial epitheliomatosis, 332
Tuberculosis of skin, 1115
Microsporid following roentgen ray epilation of scalp, 684
kerion microsporicum with hematogenous and ectogenous microsporids, report of a case, *607
Milkers' nodes, etiology of, 1093
Miller, H.: Periadenitis mucosa necrotica recurrens, 663
Sarcoid, 663
Mineral content of skin under normal and pathologic conditions; variations in potassium, calcium, chloride and water content of skin of rabbits and guinea-pigs under proportionate nourishment and in starvation and thirst, 129
Miners, carbuncle and boils among, 310
Mitchell, J. H.: Favus of American origin, 694
Lupus pernio? 700
Moles: See Nevus
Molluscum contagiosum, 488
fibrosum, 336
Monash, S.: Modification of therapy with gold compounds in lupus erythematosus; preliminary communication, *110
Proliferative gingivitis of pregnancy; report of cases, *580
Monilia, infections of skin by monilia and other yeast-like organisms, 121
pathogenicity of monilia and other yeast-like fungi, 120
skin-diseases due to monilia and other yeast-like fungi, 120
vulvovaginitis, 309
Montgomery, H.: Cutaneous lymphoblastoma; report of 2 unusual cases, *383
Mook, W. H.: Lupus erythematosus disseminatus, *786
Morginson, W. J.: Lupus miliaris disseminatus, 903
Melanotic sarcoma, 668
Morphea: See also Scleroderma
Morphea, 888, 912
with atypical features, 313
Mouth, cancer, radiation therapy in, 880
granuloma of oral mucosae, 664
pemphigus of, 920
surface lymphogranulomatosis confined to oral and penile mucosa; report of a case, *288
Mucous membrane, unusual coloration of skin and mucous membrane in Aryans, *247
Müller conglobation reaction II (simplified technic), 703
Mumps: See Parotitis
Muscles, pathologico-anatomic changes in muscles, vessels and valves of hearts of rabbits in experimental syphilis, 131
sugar content of skin and muscle in diabetic and non-diabetic persons, 455
Mycetoma, tuberculosis of hypoderm simulating Madura foot, 124
Mycosis: See also Actinomycosis; Blastomycosis
achromatic epidermomycosis due to Hemispora stellata, 306
dermatophytosis, arsenical dermatits, 900
fungoides, 151, 660, 711, 714, 905, 913, 1127
fungoides (?) dermatitis exfoliative (?), 489
fungoides, dermatitis herpetiformis, 904
fungoides following laparotomy, 298
fungoides, multiple lesions of skin apparently of epithelial origin resembling clinically mycosis fungoides, report of case, *758
fungoides with papillomatosis of areolae, 648
trichophytin as a diagnostic and therapeutic agent in mycotic infections of skin, 456
ungual, 124
Myiasis, cutaneous and espundia, 895
Myxedema, circumscribed atypical, 658
circumscribed, of skin, *255
histopathology of skin in, *55

Nails, leukonychia; its normal occurrence and causation, *112
mycosis, 124
onychauxis and keratosis plantaris, 711
onychomycosis, 709
paronychia due to a yeast-like organism with curious discoloration of nails, 123
subungual exostoses, *371
syphilitic onychia, 340
total congenital anonychia, 877
unusual dystrophy of, 906

Negro: See also under names of various diseases
complete loss of pigment in skin of, case of complete leukoderma, *1069
scar depigmentation in Negro following superficial ulcerating lesions of syphilis, 1120
Neoarsphenamine: See Arsphenamine
Nephritis, recurrent secondary syphilid; syphilitic nephritis; scabies, 914
yellow discoloration of skin in, 653
Nerve, gumma of median nerve, 1107
Nervous System, Syphilis: See Syphilis
Netherton, E. W.: Granuloma annulare, 166
Sarcoid (Boeck), 167
Thallium poisoning produced by depilatory cream (alopecia and multiple peripheral neuritis), 918
Trichophytosis barbae (nodular type), 166
Neuritis, multiple peripheral neuritis due to thallium, 918
multiple; polyneuritis from thallium acetate, 870
Neurofibroma, localized neurofibromatosis, 712
Neuroses, neurotic excoriation, 667
Neurosyphilis: See under Syphilis
Nevus, (?) 512, 1000
formation, 1094
keratotic cavernous nevi of scrotum, 125
linear, 517
pigmentosus, 161
telangiectaticus, 1118
Nicolas-Favre's Disease: See Lymphangioma inguinale
Nielsen, F. O.: Cholesterol content of blood serum in yaws, *418
Nodules, subcutaneous nodules of juxta-articular type, 1085
Nomland, R.: Favus of American origin, 694
Paraffinoma, epithelioma (prickle cell?), 699
Norris, C. B.: Lichen planus, 158
Melanoma, 152
Multiple sarcomatosis, 904
Scleroderma, 158
Tertiary syphilis, sarcoma, 156

OBITUARY:
Shelmire, J. B., 294

Occupational Diseases: See Industrial Diseases
Ochs, B.: Seborrheic keratoses, 500
Syphilis, 909
v. Oettingen, W. F.: Presence of uneven quantities of bismuth in oily bulk suspension of bismuth salts, *739
Oils, mineral, carcinogenic potency of, 1085
Oliver, E. A.: Bowen's disease, 695
Lupus pernio, livedo reticularis, 694
Onychauxis: See under Nails
Onychia: See under Nails
Onychomycosis: See under Nails
Opium, acute dermatitis due to opium preparations, *417
Oulmann, L.: Alopecia areata following thallium acetate treatment for tinea capitis, 314
Lupus vulgaris, 317
Xeroderma pigmentosa in brothers, 683

Pachydermatoceles, hemorrhage into and infection of large tumors (pachydermatoceles) in Recklinghausen's disease, 1085
Paget's disease of glans penis with central carcinomatous degeneration, *396
Palate, ulcer of, 661
Paraffinoma, 699, 1109
Paraphenylendiamine, production of hypersensitivity to, in guinea-pig, 652
Parapsoriasis, (?) 153, 325, (?) 1120, (?) 1128
en plaque, 155
en plaques disseminées, 1098
gold therapy in, 871
in patches, 899
varicelliformis, 146
with palmar lesions, 325
Parathyroidectomy in scleroderma, 881
Paronychia due to a yeast-like organism with curious discoloration of nails, 123
Parotitis, syphilitic, *236
Parounagian, M. B.: Annular syphilid, 911
Epithelioma of lower lip, 503
Lichen planus (unusually severe case), 501
Lupus erythematosus: roentgen-ray dermatitis and psoriasis, 505
Parounagian, M. B.—Continued
Lymphatic leukemia and tertiary syphilis, 1114
Mottled chin due to syphilis, 318
Multiple chancres, 502
Sarcoid, 907
Seborrheic keratoses of nevoid and verrucose types, 504
Peck, S. M.: Eczema due to fungi, report of case in an 18 months old baby, *554
Pellagra, 165, 464
and vitamin B, 1087
forty-three cases, 1095
secondary to benign and carcinomatous lesions and dysfunction of gastro-intestinal tract, 454
Pemphigus, 318, 465, 483, 890, 1105
animal experiments regarding infectious-toxic origin of pemphigus vulgaris and dermatitis herpetiformis, 127
neonatorum congenitus or impetigo neonatorum congenita, *1058
of mouth, 920
Senear-Usher syndrome; a dermatosis combining features of lupus erythematosus and pemphigus, *84
Penis, carcinoma of, 1119
epithelioma of, 299, 1088
granuloma inguinale of, 338
gumma of penis and scrotum, 163
Hodgkin's disease of mucosa of, *288
melanoma of, 663
Paget's disease of glans with central carcinomatous degeneration, *396
phagedenia of penis, culture of pathogenic staphylococcus; cure by autovaccine therapy, 303
relation of condylomata acuminata to carcinoma of penis, 307
Periadenitis mucosa necrotica recurrens, 663, 1116
Perlèche, erosio interdigitalis (hands), chronic intertriginous mycotic dermatitis (feet, groins and inframammary region) and mycotic vulvitis and vaginitis, 321
Pernio, 327, 519
Persky, A.: Lichen planus atrophicus, 468
Perspiration: See Sweat
Phagedenia of penis; culture of pathogenic staphylococcus; cure by autovaccine therapy, 303
Phagocytosis, promotion of phagocytosis by calcium gluconate, sodium iodide, dextrose and other substances, 298
Phenol, treatment of septic infections of derma and hypoderm by intradermal and subcutaneous injections of, 1088
Phenolax, eruption caused by, 329
Phenolphthalein eruption, 680, 899
eruption of mouth, 1104
Phillips, H. T.: Lupus miliaris disseminatus? 903
Melanotic sarcoma, 668
Pigmentation, blood pathology of yellowing dermatoses, *954
complete loss of pigment in skin of Negro, case of complete leukoderma, *1069
erythema multiforme bullosum with pigmentation and vitiligo, 673
mediofacial pigmentary dermatosis, 651
unusual coloration of skin and mucous membrane in Aryans, *247
yellow discoloration of skin of patients with nephritis, 653
Pillsbury, D. M.: Circumscribed myxedema of skin, *255
Pireto Therapy: See Fever, therapeutic; Malaria, therapeutic; Protein fever
Pituitary body, adiposogenital syndrome with congenital syphilis, 651
Pityriasis folliculorum (demodex), 458
lichenoides, 898
lichenoides chronica, 328, 1103
lichenoides et varioliformis, 476, 886
lichenoides et varioliformis acuta (Habermann); report of case, *72
rosea (?), 141, 161
rosea (?) and syphilis, 160
rosea, case for diagnosis (eruption caused by phenolax; recurrent macular annular syphilid? pityriasis rosea?), 329

Pityriasis—Continued
rosea, lichen planus following a diagnosis of pityriasis rosea, 329
rosea, second attack, 898
rubra pilaris, 470, 892
simplex capitis, 647
Poikiloderma en plaque, 872
Polyneuritis: See Neuritis, multiple
Pomades, association of reducing compounds and mercurials in pomades, 300
Porokeratosis, 1124
mibelli, case of, 1091
Porter, H. W.: Lichen planus atrophicus et sclerosis, 523
Portwine stains, origin of portwine stains on nape, 128
Pregnancy, proliferative gingivitis of report of cases, *580
Price, G. F.: Tularemia, 469
Procaine hydrochloride dermatitis in dentists, 1092
Procutin, experiments with so-called anticutin and procutin in serum of patients with sarcoid, 879
Protein, congenital protein hypersensitiveness in 2 generations, 456
fever, bacterial protein fever in treatment of syphilis in rabbit, *546
Prurigo nodularis, 518, 1108
nonprotein nitrogen content of skin in pruriginous dermatoses and psoriasis, 652
provoked by light, 302
Pruritus vulvae as a result of pernicious anemia, 134
vulvae et ani treated by radiation of sympathetic ganglia, 305
Pseudo-achroma parasitaria, 339
Pseudopelade of Brocq, 332
Psoriasis, 330, 331, 479
acute, 331
and lichen planus, 1105
and lichen planus in same patient, 709
blood in psoriasis, with reference to calcium, phosphorus and potassium, *204
buccal; Bazin's disease or erythema nodosum, 1114
familial, 145
generalized, with arthritis, 1119
guttata, 902
in Negro, 464, 692
lupus erythematosus, psoriasis and roentgen-ray dermatitis, 505
nonprotein nitrogen content of skin in pruriginous dermatoses and psoriasis, 652
of palms, 906
pustular, 342, 1111, 1138
report on "a new form of therapy for," *864
resembling lupus erythematosus: trichostasis spinulosa, 1135
rôle of heredity in, 119
treatment with crude coal tar and ultraviolet light, *446
unilateralis, 1108
viosterol in, 1086
Psorospermosis follicularis vegetans, 1117
Purpura, anaphylactic rheumatoid purpura provoked by muscular effort, 656
recurrent, chronic, 702
Pusey, W. A.: Parapsoriasis with palmar lesions, 325
Pyodermia, bacteriophage therapy for pyodermia; report of 20 cases, *218
gangrenosum, 1086
ulcerative, of syphilitic aspect, 303
Pyogenic infections, bacteriophage therapy in localized pyogenic infections, 311

Radiodermatitis: See under Roentgen Rays
Radium, influence of ultraviolet ray, x-rays, radium and other metals on the Wassermann reaction, 306
Radnai, E.: Ultraviolet irradiation and autohemotherapy in late syphilis, *228
Rajka, E.: Ultraviolet irradiation and autohemotherapy in late syphilis, *228
Rattner, H.: Fox-Fordyce disease, 698
Raynaud's disease and staphylococcic acrodermatitis, 871
von Recklinghausen's Disease, 336, 685
endocrine anomalies in, 130
hemorrhage into and infection of large tumors (pachydermatoceles) in Recklinghausen's disease, 1085
Rectum, syphiloma and esthiomene with positive Frei test, 874
Research; sensitizations, regional, seasonal, dietary and other influences accounting for variations and fluctuations, *537
Reticulo-endothelial system, animal experiments concerning dependence of effect of arsphenamine on condition of reticulo-endothelial system, 460
Reuter, M. J.: Histopathology of skin in myxedema, *55
Rhinophyma, 899
Rhinoscleroma, 696
Rhus, artificial sensitization of infants to poison ivy, 297
toxicodendron dermatitis, autohemic treatment of, *725
Ringworm, chemotherapy of ringworm infection; preliminary report, *1033
microscopic demonstration, results of 733 examinations, *108
of feet, 119
symptomatic and asymptomatic ringworm of feet: report based on 1,073 consecutive cases in dispensary, covering period of 1 year, *430
Wood's glass in diagnosis of, 457
Ritchie, E. B.: Xanthelasma (unusual distribution), 325
Robinson, L. B.: Dermatitis exfoliativa, 498
Roentgen Ray carcinoma and sarcoma, 647
comparison of roentgen ray with other forms of radiant therapy in treating skin diseases, 120
dermatitis, 322, 505, 681
dermatitis of abdomen, 155
effect of roentgen rays on healing of wounds, 655
erythema induratum, papulonecrotic tuberculid, tuberculous elbow and radiodermatitis, 679
influence of ultraviolet ray, x-rays, radium and other metals on Wassermann reaction, 306
localized hypertrophy of hairs after epilation of scalp with x-rays, 127
microsporid following roentgen-ray epilation of scalp, 684
sequelae, 480
simplification of grenz ray therapy by means of a new half value meter, 129
skin reactions produced by alternations of heat and x-ray at various time intervals, 119
telangiectasia caused by grenz rays, 926
Roentgenotherapy, indirect application of roentgen rays, alopecia areata, 650
infraroentgen ray therapy of skin diseases, 657
of superficial fungus infections with long wavelength roentgen rays (grenz rays), *409
sun rays combined with roentgen rays in tuberculosis of lymph nodes, 135
treatment of superficial fungus infections with long wavelength roentgen rays (grenz rays), *409
Rosacea-like tuberculid of Lewandowsky, 923
miliary lupus resembling rosacea, 338
Rosen, I.: Bowen's precancerous dermatoses, 1112
Carcinoma, 909
Endocrine defect due to syphilis, 1111
Lupus vulgaris and syphilis, 1113
Recurrent papular syphilid appearing during treatment, 499
Rosenthal, T.: Syphilitic parotitis, *236
Roseola, atrophic and congenital roseola with histiocytic infiltration, 302
Rostenberg, A.: Kaposi's sarcoma, 669
Rule, A. M.: Protein fever in rabbit syphilis, *546
Rulison, R. H.: Lymphangitis, 475
Maculae atrophicae, lichen planus sclerosus et atrophicus, 474
Macular eruption, 472
Probable avian tuberculosis of skin, 704
Report on case previously shown, 1137

Russia, dermatology in Soviet Russia, *853
Rusten, E.: Chronic erythroderma, 1123
Livedo racemosa, 1121
Lupus vulgaris, 1122

Salomon G.: Eczema due to fungi; report of a case in an 18 months old baby, *554
Salt solution, changes in skin in thyrotoxicosis, with study of absorption time of intradermally injected salt solution in thyrotoxicosis, 868
Sarcoid, 663, 907, 924
Boeck, 154, 167
Boeck, and lupus pernio, 1090
Boeck, tubercle bacilli in, 459
Darier-Roussy, 155
experiments with so-called anticutin and procutin in serum of patients with, 879
large nodular type of sarcoid of Boeck or nodular tuberculosis of hypoderm (Wende), 153
lupoid "en placard"; rare form of Boeck's disease provoked by traumatism and simulating leprosy, 300
multiple benign sarcoid (Darier-Roussy type), report of case, *1064
of head, 924
Sarcoma and tertiary syphilis, 156
influence of aqueous extract of suprarenal cortex on growth of carcinoma, sarcoma, and melanoma in animals, 1083
Kaposi's, 482, 669
Kaposi's, histogenetic and pathogenetic interpretation of Kaposi's sarcoma, 301
Kaposi's idiopathic multiple sarcoma, of 20 years' duration, 648
melanotic sarcoma? 668
multiple, 904
neurogenic, 1083
of leg, 1133
roentgen, 647
Saunders, H: Nevus (?), 1100
Saunders, W. G.: Pityriasis rosea (?) and syphilis, 160
Savatard, L.: Early epithelioma, *835
Scabies, experimental researches on, 651
recurrent secondary syphilid; syphilitic nephritis; scabies, 914
Scalp, localized hypertrophy of hairs after epilation of scalp with x-rays, 127
microsporid following roentgen ray epilation of scalp, 684
Scarlet fever antitoxin, efficiency of, 452
results of experimental research, 644
scarlatiniform exanthem and serotherapy in course of diphtheria, 458
Scars: See Cicatrix
Schamberg, J. F.: Case of morphea, 888
Chemotherapy of ringworm infection; preliminary report, *1033
Thallium poisoning, 1099
Schamberg's disease associated with hemochromatosis, *380
Scheer, M.: Black hairy tongue (lingua nigra), 501
Case for diagnosis, 680
Dermatitis artefacta, 313
Erythema multiforme, 682
Gumma of median nerve, 1107
Idiopathic macular atrophy, 144
Lupus erythematosus, 686
Molluscum contagiosum, 488
Pityriasis rosea, 141
Schiller, A. E.: Adenoma sebaceum, 160
Schizosaccharomycosis; present status of identification of Schizosaccharomyces hominis and its results, *557
Schlueter, N.: Erosio interdigitalis in Negress, 139
Schmidt, F. R.: Leukemia cutis; report of case, *587
Müller conglobation reaction II (simplified technic), 703
Schoch, A. G.: Syphilitic bursopathy of Verneuil, *591
Schoff, C. E.: Congenital keratoses, 659
Schwartz, H.: Fixed arsphenamine eruption, 1135
Schweninger-Buzzi's disease (?), 916
Sclerae, pigmentation of sclerae, eyelids and temples (melanin), 921
Scleroderma, 158, 162, 903, 1126
pathology and pathogenesis, 118
treatment by parathyroidectomy, 881
Scrotum, cystic lymphangio-endothelioma of, 306
gumma of penis and scrotum, 163
keratotic cavernous nevi of, 125
Sebaceous glands: their histopathology and rôle in diseases of skin, *353
Seborrhea and acidosis 457
Secretions, internal, glands of: See Endocrine glands
Senear, F. E.: Case for diagnosis, 692
Dermatitis herpetiformis, 701
Lupus erythematosus, 323
Senear-Usher syndrome; a dermatosis combining features of lupus erythematosus and pemphigus, *84
Serums, loss of viricidal property in serums from patients with herpes and encephalitis, 646
Shaffer, L. W.: Subungual exostoses, *371
Sharlit, H.: Hodgkin's disease; surface lymphogranulomatosis confined to oral and penile mucosa; report of case, *288
Shaw, H. C.: Case for diagnosis, 321, 507
Erythema multiforme perstans, 688
Hodgkin's disease, 506
Lichen planus, 139
Lupus erythematosus with carcinomatous changes, 138
Sporotrichosis, tularemia, 689
Syphilis, 140
Syphilis resembling lichen planus, 507
Shoe leather, dermatitis venenata due to, report of 2 cases, *597
Silver, H.: Macular atrophy of skin, *614
Singer, P. L.: Leukonychia; its normal occurrence and causation, *112
Skeer, J.: Lupus erythematosus and epithelioma? 691
Skin affections in cement carriers, 1093
changes in thyrotoxicosis, with brief study of absorption time of intradermally injected salt solution in patients with thyrotoxicosis, 868
circumscribed myxedema of, *255
clinical, experimental and chemical studies on influence of diet on inflammatory changes in healthy and diseased skin, 126
color, new method for exact determination of, 652
cutis rhomboidalis nuchae mit kolloider degeneration (Jadassohn), 654
diseases, 4-amino-2 auro-thiophenol carbonic acid in, 1092
diseases in Dagestan, 131
diseases, infraroentgen ray therapy of, 657
diseases; yellowing, pathology of; nonxanthomatous (jaundice, carotinemia, blood pigmentation, melanin, colloid degeneration and elastic degeneration), *954
fat, quantitative and qualitative determinations, 460
histopathology of skin in myxedema, *55
hydrogen ion concentration of surface of skin in various dermatoses, 307
macular atrophy of, *614
mineral content of skin under normal and pathologic conditions; variations in potassium, calcium, chloride and water content of skin of rabbits and guinea-pigs under proportionate nourishment and in starvation and thirst, 129
penetration of light through, 310
reactions produced by alternations of heat and x-ray at various time intervals, 119
sensitiveness of; sensitization to dinitrochlorbenzol through occupation, 1091
sugar content of skin and muscle in diabetic and non-diabetic persons, 455
unusual coloration of skin and mucous membrane in Aryans, *247
Smith, C. M.: Dermatology in a changing world, *177
Smith, D. C.: Jugular compression; an adjunct in treatment of syphilis of central nervous system, *727
Soaps, germicidal and therapeutic applications of, 869

Societies, local, directory of, 175, 351, 531, 720, 931, 1144
national, directory of, 174, 350, 530, 719, 930, 1143
Second International Congress for Light, meeting of, 116
sectional, directory of, 174, 350, 530, 719, 930, 1143
state, directory of, 174, 350, 530, 719, 930, 1143

SOCIETY TRANSACTIONS:
Brooklyn Dermatologic Society, 463, 690, 911, 1124
Chicago Dermatological Society, 321, 508, 692
Cleveland Dermatological Society, 162, 339, 712, 914, 1137
Detroit Dermatological Society, 159
Manhattan Dermatologic Society, 313, 499, 681, 907, 1109
Minnesota Dermatologic Society, 328, 882, 1115
New York Academy of Medicine, Section of Dermatology and Syphilology, 140, 484, 669, 889, 1100
New York Dermatological Society, 703, 919, 1127
Philadelphia Dermatological Society, 884, 1097
Pittsburgh Dermatological Society, 151, 335, 665, 900
St. Louis Dermatological Society, 139, 318, 506, 688
San Francisco Dermatological Society, 659
Sodium chloride, 876
chloride content in blood of syphilitic patients and its connection with Wassermann reaction, 1094
salicylate, eruption due to sodium salicylate; biologic tests showing its toxic nature, 873
Sollmann, T.: Presence of uneven quantities of bismuth in oily bulk suspension of bismuth salts, *739
Spiegel, L.: Secondary syphilis, 491, 680
Trichotillomania, 144
Spirochaeta Pallida, granular form of, 878
in regional lymphatic nodes in syphilitic mice, 461
metastatic lesions due to intravenous injections of, 309
Spirochete, constituents of spirochete; proteins in spirochetes, 309
early demonstration in scrotal lesions of rabbits inoculated with material from popliteal glands of rabbits with latent syphilis, 878
presence of spirochetes in fluid in early syphilis, 126
Spleen, rupture of spleen in malarial therapy in syphilis, 118
Splenic extract in arsphenamine dermatitis, 872
Spondylitis, syphilitic, 2 cases of, 1087
Sporotrichosis, 689
Spring, D.: Heterothallism among dermatophytes; inquiry into 3 of commoner species, *22
Sprue: See Thrush
Staphylococcus acrodermatitis and Raynaud's disease, 871
aureus, further experiences with non-specific local cutaneous immunity to staphylococcus aureus; local non-specific protection, 119
infection secondary to dermatitis venenata (Mercirex ointment), 497
infections, vitamin feeding in staphylococcic infections of skin, 128
primary staphylococcus infections of nose, lips and face, 1084
Steinberg, E. I.: Basal cell epithelioma, 917
Stibbens, F. H.: Multiple benign sarcoid (Darier-Roussy type), report of case, *1064
Stillians, A. W.: Dyskeratosis (Bowen), 326
Pernio, 327
Report on "a new form of therapy for psoriasis," *864
Stokes, J. H.: Circumscribed myxedema of skin, *255
Hypertrophic lichen planus with associated ordinary lichen planus, 1098
Stomach, syphilis, 117
Stomatitis, bismuth, 914
gonococcal, 458
Streptococcus, eczema of exposed areas due to, 302
Strickler, A.: Symptomatic and asymptomatic ringworm of feet; report based on a study of 1073 consecutive cases in dispensary, covering period of 1 year, *430
Strophulus, 1119
Stryker, G. V.: Erosio interdigitalis in Negress, 139
Sugar content of skin and muscle in diabetic and non-diabetic persons, 455
Sulzberger, M. B.: Sensitizations; regional, seasonal, dietary and other influences accounting for variations and fluctuations, *537
Tuberculid of face, 1107
Suprarenal extract, influence of aqueous extract of suprarenal cortex on growth of carcinoma, sarcoma, and melanoma in animals, 1083
unusual skin reaction to epinephrine, 870
Sweat, reaction of, 459
Sweitzer, S. E.: Carcinoma of penis, 1119
Hypertrophic scars at sites of healed ulcerated nodules of syphilis, 1119
Nevus telangiectaticus, 1118
Psoriasis (generalized) with arthritis, 1119
Scar depigmentation in Negro following superficial ulcerating lesions of syphilis, 1120
Tuberculide en plaque, *842
Ulcerating nodular syphilid, 1118
Ulcerating nodular syphilids of leg and arms, 1118
Urticaria pigmentosa, 1122
Syphilid, annular, 911
nodular ulcerating, 1121
papular, resembling lichen planus, 328
recurrent papular syphilid appearing during treatment, 499
recurrent secondary; syphilitic nephritis; scabies, 914
ulcerating nodular, 1118
ulcerating nodular syphilids of leg and arms, 1118
Syphilis, 140, 478, 883, 909
abortive cure in, 1090
and lupus vulgaris, 1113
and pityriasis rosea (?), 160
and ulerythema ophryogenes, 161
anemia in, 898
annular lesions in acquired and congenital syphilis, 457
annular papular syphilis (occurring almost simultaneously in a father and 3 young children), 326
arsphenamine-resistant, 869
bacterial protein fever in treatment of syphilis in rabbit, *546
bismuth compounds in, curative value, 297
blood coagulum Wassermann and Kahn reaction, 1095
blood transfusion as cause of, 297, 714
bone; correlation of clinical picture with osseous lesions of congenital syphilis as shown by x-rays, 117, 453, 644
bone lesion produced by trauma, 1089
cardiac disease due to, certain aspects of, 644
congenital, adiposogenital syndrome with, 651
congenital, luetin reaction in, 308
congenital, relationship of serology of blood to that of spinal fluid in, *733
congenital syphilitic disease of thyroid, 1095
dermoluetin reaction; experience with Kolmer organic extract, *937
early demonstration of spirochetes in scrotal lesions of rabbits inoculated with material from popliteal glands of rabbits with latent syphilis, 878
early maximal treatment of primary and secondary syphilis, 459
early or late, 894
endocrine defect due to, 1111
epithelioma in a syphilitic tongue, 463
experimental, and yaws in rabbits inoculated through subarachnoid space, 462
experimental; changes in lymphatic system in experimental syphilis of rabbit (involvement of regional lymphatic nodes in testicular syphilis), 461
experimental, factors influencing primary lesion in, 653
experimental, in rabbits, 129
experimental investigation on superinfection in rabbit, 1096

Syphilis—Continued
experimental research concerning syphilitic lymph gland infection of apes, 879
experimental research on immunity in; various factors that influence reinoculation of syphilis in rabbits, 1095
fever due to, 128
gastric, 117
gold therapy in syphilis, 125
Gougerot and Ragu's report on relation of cholesterol of blood to Wassermann-fastness, 123
"hemato-encephalic barrier" in syphilis, 309
hypertrophic scars at sites of healed ulcerated nodules of, 1119
immunity in experimental syphilis; superinfection with various dilutions of virus emulsion (measurement of grade of immunity by quantitative method), 461
in Dagestan, 131
influence of ultraviolet ray, x-rays, radium and other metals on Wassermann reaction, 306
jugular compression, an adjunct in treatment of syphilis of central nervous system, *727
juxta-articular nodes due to, 296
late secondary, 484
lichenoid papular secondary, 905
luetin reaction in congenital syphilis, 308
malarial therapy in, rupture of spleen in, 118
Meinicke clearing reaction in, 459
Meinicke clearing reaction in comparison with active complement-fixation of Bruck and original Wassermann reaction, 878
Meinicke reaction, comparison of Wassermann and Meinicke clouding reactions, 460
more sensitive antigen for use in Wassermann reaction, 455
mottled chin due to syphilis, 318
Müller conglobation reaction II (simplified technic), 703
neurosyphilis; jugular compression, an adjunct in treatment of syphilis of central nervous system, *727
neurosyphilis; prognostic import of a negative spinal fluid in early and in latent, *404
nonsyphilitic condition of genitalia resembling secondary syphilitic papules, 878
onychia in, 340
oxyacetylaminophenylarsenate salt of diethylamine in hospital and ambulatory practice, 130
parotitis as symptom of, *236
pathologico-anatomic changes in muscles, vessels and valves of hearts of rabbits in experimental syphilis, 131
primary syphilis in presence of congenital hemolytic icterus, 335
pseudosyphilis of external genitalia in female infants, 657
pulmonary, 454
recurrence following treatment with neoarsphenamine, 872
resembling lichen planus, 507
scar depigmentation in Negro following superficial ulcerating lesions of, 1120
secondary, 491, 521, 680, 896
serodiagnosis, clinical value of combined Kahn and Wassermann tests in tropics with special reference to yaws and syphilis, 310
serodiagnosis, combined Kahn and Wassermann tests in tropics with special reference to yaws and syphilis, value of, 310
serodiagnosis, comparison of Wassermann and Meinicke clouding reactions, 460
serodiagnosis; influence of amount of blood cholesterol on serologic reactions for syphilis (Wassermann, Hecht, Desmoulieres), 123
serodiagnosis, Wassermann reaction; cause of greater sensitivity of ice-box Wassermann; zone phenomenon in complement-fixation, 455
serodiagnosis; Wassermann reaction compared with Vernes reaction, 1090
serologic tests for syphilis, with special reference to treatment; comparative study, *104
serologically negative primary syphilis treated exclusively by bismuth, 2 cases, 303
Syphilis—Continued
serology; cause of greater sensitivity of ice-box Wassermann; zone phenomenon in complement-fixation, 455
serology; influence of amount of blood cholesterol on serologic reactions for syphilis, 123
serology; more sensitive antigen for use in Wassermann reaction, 455
sodium chloride content in blood of syphilitic patients and its connection with Wassermann reaction, 1094
specificity in therapy; action of antisyphilitic medicaments, 656
spirochaeta pallida in regional lymphatic nodes in syphilitic mice, 461
spirochetes in fluid in early syphilis, 126
symbiotic infection in syphilitic juxta-articular nodules, 1091
symptomless or "silent" syphilitic infection, 1092
syphilitic bursopathy of Verneuil, *591
tertiary, 335, 481
tertiary and lymphatic leukemia, 1114
tertiary, and sarcoma, 156
tertiary; Duhring's disease in a child whose mother had tertiary syphilis, 304
treatment of, 880
treatment; general rules in; doctrine of indefinite periodical surveillance and necessity of "consolidation" treatment during many years, 125
treatment in tuberculous patients, 296
treatment of cardiovascular syphilis with reference to aortic regurgitation with congestive heart failure, 296
tryparsamide therapy; follow-up report on patients with neurosyphilis treated with tryparsamide, *182
ulcerative pyodermas of syphilitic aspect, 303
ultraviolet irradiation and autohemotherapy in late syphilis, *228
urticaria pigmentosa and hairy tongue, 898
with eruption resembling acne varioliformis, 334
Syphiloderm, small papular, 471
Syphilology, index to current literature, 172, 348, 534, 724, 937, 1148
Syphiloma, anorectal syphiloma and esthiomene with positive Frei test, 4 cases, 874
anorectal stricture with positive Frei's reaction, 304
fibroid, 334
Syringocystadenoma, 918
Syringoma, case of, 1097

Tabes dorsalis; Charcot joint, 680
following injury, 675
inoculations of malaria for, 135
taboparesis treated with hyperpyrexia induced by hot baths, 457
Telangiectasia, 662
acquired stellate telangiectases (developing during pregnancy) limited to upper part of right arm in area of distribution of cervical plexus, 305
caused by grenz rays, 926
or lupus erythematosus, 476
symmetrical, of upper and lower extremities, 333
Temples, pigmentation of sclerae, eyelids and temples (melanin?), 921
Templeton, H. J.: Case for diagnosis, 659, 661
Granuloma of oral mucosae, 664
Ulcer of palate, 661
Xanthoma diabeticorum; report of a case, *604
Thallium acetate, alopecia areata following thallium acetate treatment for tinea capitis, 314
acetate poisoning following prolonged use of a depilatory cream, 646
acetate poisoning following use of Koremlu, 647
acetate poisoning, pathology of, 876
poisoning, 1099
poisoning produced by a depilatory cream (alopecia and multiple peripheral neuritis), 918
polyneuritis due to, 870
Thorium X in xanthelasma, case reports, 879
Thornley, J. P.: Mycosis fungoides, 151
Urticaria pigmentosa (?), 671

Thrombo-angiitis obliterans (Buerger), 645
obliterans (Buerger); effect of thyroid administration on blood volume, 869
Throne, B.: Alopecia areata, 705
Arsenical pigmentation, 479
Erythema annulare centrifuge, 891, 1133
Parapsoriasis (?), 1128
Thyroid, syphilitic disease of, congenital, 1095
thrombo-angiitis obliterans (Buerger); effect of thyroid administration on blood volume, 869
Thyrotoxicosis, skin changes in thyrotoxicosis, with study of absorption time of intradermally injected salt solution, 868
Tinea amiantacea, 925
capitis, alopecia areata following thallium acetate treatment for tinea capitis, 314
pathogenesis of tinea of hands and feet, 307
Tolmach, J. A.: Angiokeratoma; comprehensive study of literature and report of case, *39
Folliculitis decalvans and lichen spinulosus; report of a case, 101
Tongue, black, 122, 710
black hairy, 122, 501
carcinoma of, 710
epithelioma in syphilitic tongue, 463
hairy, syphilis and urticaria pigmentosa, 898
hematolymphangioma of, 877
lingua geographica, 331
Torrey, F.: Telangiectasia, 662
Traub, E. F.: Angiokeratoma; comprehensive study of literature and report of case, *39
Cases of lupus erythematosus and lupus vulgaris treated by intracutaneous injections of gold compound, 484
Dermatitis exfoliativa, 149
Fibroma, 474
Folliculitis decalvans and lichen spinulosus; report of case, *101
Modification of therapy with gold compounds in lupus erythematosus; preliminary communication, *110
Pemphigus, 483, 890
Pityriasis lichenoides et varioliformis, 476
Pityriasis rubra pilaris, 892
Sarcoma (Kaposi), 482
Secondary syphilis, 896
Tertiary syphilis, 481
Trauma, trichophytids which appear on sites exposed to trauma, 130
Trichomycosis axillaris rubra, 1086
Trichophytids which appear on sites exposed to trauma, 130
Trichophytin, use of trichophytin as a diagnostic and therapeutic agent in mycotic infections of skin, 456
Trichophytosis barbae (nodular type), 166
case of erythema multiforme apparently of trichophytic origin, 1087
of body, 670
therapy for deep trichophytosis, 130
Trichotillomania, 144
etiology of, 129
Tryparsamide therapy, 929
therapy; follow-up report on 76 patients with neurosyphilis treated with tryparsamide, *182
Tubercle Bacilli, direct observation of tubercle bacilli in lupus pernio and in sarcoid of Boeck, 459
in children with erythema nodosum; demonstration by gastric lavage, 452
Tuberculids: See under Tuberculosis
Tuberculin reaction, clinical interpretation of intradermal tuberculin reaction, 649
reaction, diagnostic value of repeated tuberculin reaction, 300
Tuberculosis, 472, 510, 1102
actinotherapy at tuberculosis dispensary, 656
adenitis previously diagnosed as Hodgkin's disease, 1099
angiokeratoma (Mibelli) associated with nodular and papulonecrotic tuberculids, 871
association of cutaneous tuberculosis with that of other organs, 302
avian, of skin, 704
erythema induratum, papulonecrotic tuberculid, tuberculous elbow and radiodermatitis, 679
from direct inoculation with autopsy knife; report of a case, *98
Tuberculosis—Continued
large nodular type of sarcoid of Boeck or nodular tuberculosis of hypoderm (Wende), 153
luposa, 338
of hypoderm simulating Madura foot, 124
papulonecrotic tuberculid with tuberculous cervical adenopathy, 336
papulosquamous tuberculids cured by gold therapy, 304
rosacea-like tuberculid of Lewandowsky, 923
similarity of pseudotuberculosis and tularemia, 655
skin, 1115
sun rays combined with roentgen rays in tuberculosis of lymph nodes, 135
treatment of syphilis in tuberculous patients, 296
tuberculid, 681
tuberculide en plaque, *842
tuberculid of face, 1107
ulceroserpiginosa, 1136
Tularemia, 167, 469, 666 (?), 689, 900
similarity of pseudotuberculosis and tularemia, 655
ulceroglandular type, 319, 495
Tulipan, L.: Keratosis palmaris et plantaris, 140
Tumor: See also Angioma; Cancer; Epithelioma; Sarcoma; etc.
occupational neoplastic disease, 1083
Turnacliff, D. D.: Alopecia areata in twins, 1122
Turpentine, occupational dermatoses due to, *401
Twins, alopecia areata in, 1122

Ulcer, indolent, of leg, 132
leg and insulin, 650
molle, diagnosis of, 131
palate, 661
trophic, 1108
Ulerythema ophryogenes and syphilis, 161
Ultraviolet Rays and autohemotherapy in late syphilis, *228
excessive ultraviolet irradiation; effect on nutrition and endocrine glands of rats, 452
influence of ultraviolet ray, x-rays, radium and other metals on the Wassermann reaction, 306
malignant neoplasms caused by ultraviolet irradiation, 880
serum therapy or intensive ultraviolet irradiation for erysipeloid, 460
treatment of psoriasis with crude coal tar and ultraviolet light, *446
Urticaria due to cold, 306
due to grass pollen, 298
papulosa; clinical, serologic and chemical investigation, 644
pigmentosa (?), 671, 1122
pigmentosa acquisita, 1137
pigmentosa, syphilis and hairy tongue, 898
pigmentosa with macular atrophy, 1101
with pigmentation, 921
Uveitis associated with alopecia, poliosis, vitiligo and deafness, 1084

Vagina, intradermal reactions to vaginal scrapings, 875
Valade, C. K.: Dermatitis medicamentosa [neoarsphenamine], 159
Lichen planus, 160
Varicella: See Chickenpox
Varicose Veins, diluted glycerin as an agent in occlusion of varicose veins, 124
experimental and clinical experiences with obliteration of, 460
incidence of embolism in treatment of varicose veins with sclerosing solutions; report of fatality, 870
Varus nodulosus of Brooke, case of, 128
Verruca: See Warts
Viosterol: See Ergosterol
Vitamin B_2 and pellagra, 1087
Vitiligo and arsphenamine dermatitis, 677
and erythema multiforme bullosum with pigmentation, 673
complete loss of pigment in skin of a Negro; case of complete leukoderma, *1069
postarsphenamine dermatitis, 493
uveitis associated with alopecia, poliosis, vitiligo and deafness, 1084

Vulva, idiophagedena of vulva; geometric phagedena of Brocq and Simon, 124
Vulvovaginitis, monilia vulvovaginitis, 309

Waddell, J. A.: Jugular compression; an adjunct in treatment of syphilis of central nervous system, *727
Wallhauser, H.: Paraffinoma, 1109
Walzer, A.: Chondrodermatitis nodularis chronica helicis, 471
Chronic atrophic lichenoid dermatitis (Csillag), 468
Cutaneous calcinosis, 470
Darier's disease, 690
Dermatitis gangrenosa, 691
Eruption following injections of gold compounds, 150
Erythema multiforme, 912
Lichen planus, 1125
Mycosis fungoides, 913
Parapsoriasis varicelliformis, 146
Pityriasis rubra pilaris, 470
Psoriasis in a Negro, 464
Scleroderma, 1126
Warts, treatment of warts, 655
Wassermann Reaction: See under Syphilis
Way, S. C.: Favus, 664
Lupus vulgaris, 663
Melanoma of penis, 663
Sebaceous glands; their histopathology and rôle in diseases of skin, *353
Wayson, J. T.: Keratoderma blennorrhagicum, *291
Weber, L. F.: Parapsoriasis with palmar lesions, 325
Weidman, F. D.: Case of sensitiveness to mercury, 884
Pathology of yellowing dermatoses; nonxanthomatous (jaundice, carotinemia, blood pigmentation, melanin, colloid degeneration and elastic degeneration), *954
Weil-Kafka hemolysin reaction in study of meningeal permeability, 125
Weiss, R. S.: Case for diagnosis, 320
Lupus erythematosus disseminatus, *786
Wertheimer, H. G.: Dermatophytosis? Arsenical dermatitis, 900
Mycosis fungoides, 905
Parapsoriasis en plaque, 155
Wethall, A. G.: Malignant melanoma, 1117
White, C.: Lupus vulgaris (treated by Gerson diet); lupus erythematosus, 323
Treatment of superficial fungus infections with long wavelength roentgen rays (Grenz rays), *409
Whitlow: See Paronychia
Wieder, L.: Rhinoscleroma, 696
Wile, U. J.: Acrocyanosis (pernio?), 519
Arsenical keratoderma, 526
Case for diagnosis, 520, 692
Epidermolysis bullosa, 513
Erythroderma 514
Granuloma fongoides, 511
Hansen's disease, 516
Linear nevus, 517
Lupus carcinoma, 508
Lupus miliaris disseminatus faciei, 525
Lupus vulgaris, 509
Lupus vulgaris erythematoides, 524
Melanoma, 521
Nevus, 512
Pernio, 519
Prurigo nodularis, 518
Syphilis (secondary), 521
Tuberculosis, 510
Willard, L.: Ichthyosis hystrix linearis, 906
Lupus vulgaris, 151
Sarcoid of Boeck, 154
Unusual dystrophy of nails, 906
Williams, C. M.: Angioma, 709
Psoriasis and lichen planus in same patient, 709
Winer, L. H.: Carcinoma of penis, 1119
Lingua geographica, 331
Papular syphilids resembling lichen planus, 328
Pseudopelade of Brocq, 332
Psoriasis (generalized) with arthritis, 1119
Symmetrical telangiectasia of upper and lower extremities, 333
Syphilis with eruption resembling acne variolifomis, 334
Ulcerating nodular syphilid, 1118
Ulcerating nodular syphilids of leg and arms, 1118
Urticaria pigmentosa, 1122
Wise, F.: Acquired progressive kinking of hair of scalp, 315
Acrodermatitis chronica atrophicans, 1131
Atrophy of subcutaneous fat, 908
Bazin's disease or erythema nodosum, 1114
Carcinoma of tongue, 710
Dermatitis venenata, 910
Lupus erythematosus (?), 1131
Lymphogranulomatosis inguinalis, 147
Mycosis fungoides, 711
Pigmentation of sclerae, eyelids and temples (melanin?), 921
Pustular psoriasis (?), 1111
Tuberculosis ulceroserpiginosa, 1136
Unilateral acrodermatitis chronica atrophicans with subcutaneous nodules, 1112
Urticaria pigmentosa acquisita, 1137
Wolf, C.: Phenolphthalein eruption of mouth, 1104
Psoriasis unilateralis, 1108
Woodburne, A. R.: Carotenemia, 901
Case for diagnosis, 903
Erythema manus hereditarium, 153
Erythème annulaire centrifuge, 667
Granuloma, 902
Granuloma inguinale of glans penis, 338
Impetigo with unusual hyperpigmented residua, 152
Lichen planus bullosum, 337
Lichenoid papular secondary syphilis, 905
Lupus vulgaris of nose; tuberculous dactylitis, 905
Paget's disease of glans penis with central carcinomatous degeneration, *396
Papulonecrotic tuberculid with tuberculous cervical adenopathy, 336
Psoriasis of palms, 906
Wounds, effect of roentgen rays on healing of wounds, 655
Wright, C. S.: Case of morphea, 888

Xanthelasma treated with thorium X, case reports, 879
unusual distribution, 325
Xanthoma diabeticorum; acromegaly with diabetes mellitus and xanthoma diabeticorum, 117
diabeticorum; report of a case, *604
metabolism, endocrine glands and skin-diseases, with special reference to acne vulgaris and xanthoma, 1086
Xeroderma pigmentosa in brothers, 683

Yaws: See Frambesia
Yeast, hypersensitiveness to soluble specific substances from yeast-like fungi; anaphylaxis; eye hypersensitivity, 871
infection of skin, 703
Youngblood, E. M.: Fumigation as an aid in control of superficial fungus infections, *283

Zakon, S. J.: Relationship of dermatitis exfoliativa neonatorum Ritter and impetigo bullosa in adult, *830
Zeisler, E. P.: Parapsoriasis, 325
Recurrent chronic purpura, 702
Zentmire, Z.: Serologic tests for syphilis, with special reference to treatment; comparative study, *104
Zoster generalisatus (varicellosus), leukemia lymphatica and arsenic, 877